

01483 237621

GUILDFORD

SALES@UNICO.UK.COM

QUALITY FURNITURE FITTINGS



CATCHES AND BOLTS	2-3
LOCKS	4-5
HINGES	6-7
DRAWER SLIDES	8-9
STAYS	10
KD FITTINGS	10-11
WARDROBE & SHELF FITTINGS	12
GLASS & WOODEN DOOR FITTINGS	13-14
TABLE FITTINGS	15
LEG SYSTEMS	16

MINI CATALOGUE

See online for our FULL range




UNICO COMPONENTS LTD. Unit 2B, Henley Business Park Pirbright Road, Guildford Surrey GU3 2DX

Established in 1970, Unico Components Ltd is proud to serve a wide variety of British furniture manufacturers with a comprehensive fittings solution for their products. Our mini catalogue shows just a few of the products available from our enormous range.

We are also sole agents for a number of leading furniture fittings manufacturers from around the world.

We are proud to offer our customers a responsive, reliable and flexible service whilst providing competitive prices and prompt delivery.

Should you be unable to find the right component to suit your needs then please see our full range at **www.unico.uk.com** or alternatively why not **Call The Experts on 01483 237621.**





SCAN WITH YOUR PHONE TO VISIT OUR WEBSITE

CATCHES & BOLTS



Self Aligning Striker for 2012 Catches



SCA119900220 Brass Plated **SCA119900161** Nickel Plated

NEED ADVICE? EMAIL: SALES@UNICO.UK.COM CALL: 01483 237621

Single Magnetic Tutch Latch



SCA900300003 Black Plastic

Screw On Striker



Suitable for use with Magnetic Tutch Latches **UCA012001160** Zinc Plated

Steel Slide Bolt



70mm Long. 30mm Throw.

SCA037000020 Brass Plated
SCA037000061 Nickel Plated

Angle Striker



SCA037000120 Brass Plated SCA037000161 Nickel Plated

Double Magnetic Tutch Latch



SCA501300003 Black Plastic

Necked Bolt with Keep



UCA063700064 Chrome Plated

Locking Toggle Catch with Plate



For locking extending tables or as a clamp for sectional furniture. Provision for locking pin and tensioning. Holds flat in locked and unlocked position.

UCA011500020 Yellow Zinc Plated UCA011500040 Bronze UCA011500050 Stainless Steel UCA011500060 Zinc Plated





Cam Lock



Complete with 2 steel keys, rosette and 25mm straight cam. Mastered. 197 Differs. 16.5 x 20mm nozzle.

UL0082790261 Nickel Plated Differ **UL0082790361** Nickel Plated Keyed Alike 8147LM

ALL
PRODUCT
DIMENSIONS
AVAILABLE ON
OUR WEBSITE

В

Angle Striker Plate



SCA037000161 Nickel Plated

Angle Striker Plate



SLO941100161 Nickel Plated

Square Cupboard Lock



Complete with 2 Steel Keys and Rosette. Mastered. 197 Differs. 16.5 x 23mm nozzle.

SLO042590161 Nickel Plated Differ

SLO042591161 Nickel Plated Keyed Alike 8147LM

ULO158500161 6806LM Master Key

Drawer Lock



Complete with 2 keys. 22x22mm Nozzle. 200 Differs.

UL0016101103 Black Differ Mastered **UL0016102661** Nickel Plated Keyed Alike **UL0016103103** Black Differ Unmastered

ULO016103203 Black Keyed Alike 92312 Unmastered

UL0016105060 Nickel Plated Master Key **UL0016100560** 22mm Rosette Nickel Plated

- LOW TRADE PRICES
- FREE DELIVERY £150 (NET)
- NO MINIMUM ORDER CHARGE
- NO SPLIT PACKAGE CHARGE
- EXCELLENT CUSTOMER SERVICE

WWW.UNICO.UK.COM

NEED ADVICE? EMAIL: SALES@UNICO.UK.COM

Screw On Espagnolette Lock



Suitable for heavy doors and drawers. Complete with 2 Fob Keys, 2 x 1m Bars, 4 Bar Saddles and 2 Bar Location Sockets. 19 x 22mm nozzle.

SLO020100064 Chrome Plated

Threaded Cam Lock



For wooden drawers, wardrobes and lockers. Complete with 2 keys, hooked cam, nut and washer. 200 Differs. 25mm thread.

ULO192500064 Chrome Plated Differ **ULO192500164** Chrome Plated Keyed Alike

Front Pedestal Lock One Wing



Complete with two keys and rosette. 16.5 x 20mm nozzle.

ULO016591763 Nickel Plated Differ 45mm Pin

Square Slam Lock



Spring loaded tongue allows doors and drawers to push lock automatically. Complete with Rosette, Striker Plate and 2 Fob Keys. Non Mastered. 200 Differs. 19 x 22mm nozzle.

SLO042400061 Nickel Plated Differ **SLO042400161** Nickel Plated Keyed Alike

Padlock Handle Threaded Cam Lock



For wooden furniture 20 or 32mm thread

UL0001100061 Nickel Plated 19x32mm 33mm Cam **UL0001100161** Nickel Plated 19x20mm 40mm Cam

Front Pedestal Lock Two Wings



Complete with two keys and rosette. Mastered. 16.5 x 20mm nozzle. 45mm Pin

UL0016591163 Nickel Plated Keyed Alike **UL0016591663** Nickel Plated Differ



110 Degree Clip On Hinge



SHI024811061 Nickel Plated Overlay SHI024853361 Nickel Plated Half Overlay SHI024853461 Nickel Plated Inset

170 Degree Clip On Hinge 0mm



SHI024817061 Nickel Plated

270 Degree Hinge



With spring. Suitable for door thickness of 16-24mm.

SHI024827061 Nickel Plated

0mm Hinge Plate for 270 Hinge



Complete with 13mm Euroscrews. For use with 270 degree hinge.

SHI024484861 Nickel Plated

110 Degree Clip On Soft Close Mechanism



Clip on mechanism for use with the 110 degree clip on hinge

SHI095100061 Nickel Plated

Omm Hinge Plate for 110 and 170 Hinges



Complete with Euroscrews. For use with the 110 and 170 degree hinges.

SHI024400061 Nickel Plated

100 Degree Soft Close Hinge



Complete with plate. Soft close function integrated into the arm of the hinge.

UHI120000061 Nickel Plated Overlay
UHI120000161 Nickel Plated Half Overlay
UHI120000261 Nickel Plated Inset





NEED ADVICE? EMAIL: **SALES@UNICO.UK.COM**

CALL: **01483 237621**

Push To Open Magnetic Plunger



26-46mm Adjustable Extension

UHI006000206 Black

Flush Hinge



SHI026600120 Brass Plated 51x24mm SHI026600160 Zinc Plated 51x24mm SHI026600161 Nickel Plated 51x24mm SHI026600164 Chrome Plated 51x24mm SHI026600220 Brass Plated 63x25mm SHI026600260 Zinc Plated 63x25mm SHI026600261 Nickel Plated 63x25mm SHI026600320 Brass Plated 76x33mm SHI026600320 Zinc Plated 76x33mm SHI026600360 Zinc Plated 76x33mm SHI026600360 Zinc Plated 76x33mm SHI026600364 Chrome Plated 76x33mm

Continuous Piano Hinge



1829mm Long, 60mm Hole Centres, 0.66mm Thick

UHI065421020 Brass Plated 25mm Open Width UHI065420061 Nickel Plated 25mm Open Width UHI065421120 Brass Plated 32mm Open Width UHI065421161 Nickel Plated 32mm Open Width UHI065421220 Brass Plated 38mm Open Width UHI065421261 Nickel Plated 38mm Open Width UHI065421261 Nickel Plated 38mm Open Width

Push To Open Plunger



26-46mm Adjustable Extension

UHI006000303 Black

Soft Close Damper




SKF368100006 Grey 10x50mm Damper **SKF368100106** Grey Damper Housing

Cylinder Hinge



UHI060201021 Brass UHI060201221 Brass UHI060201421 Brass UHI060201621 Brass UHI060201821 Brass



	Α	В	С	D	E	F
UHI060201021	10	10	20	10	2	10
UHI060201221	12	13.5	27	12	2.2	13.5
UHI060201421	14	15.5	31	14	3	15.5
UHI060201621	16	16.5	33	16	3	16.5
UHI060201821	18	18	36	18	3	18

DRAWER SLIDES

Ballbearing Full Extension Side Fix Slides



Non-handed and 32mm hole pattern for easy installation. Weight 45kg. Sold in Pairs 12.5mm building in width

UDS840011060 Zinc Plated 254mm (10")
UDS840011260 Zinc Plated 305mm (12")
UDS840011460 Zinc Plated 356mm (14")
UDS840011860 Zinc Plated 406mm (16")
UDS840011860 Zinc Plated 508mm (20")
UDS840012060 Zinc Plated 559mm (22")
UDS840012460 Zinc Plated 610mm (24")
UDS840012460 Zinc Plated 660mm (26")
UDS840012660 Zinc Plated 660mm (26")
UDS840012860 Zinc Plated 711mm (28")

Soft Close Full Extension Side Fix Slides



Soft Close. Non-handed and 32mm hole pattern for easy installation. Weight 45kg. Sold in Pairs. 12.5mm building in width

UDS845011260 Zinc Plated 305mm (12") **UDS845011460** Zinc Plated 356mm (14") **UDS845011660** Zinc Plated 406mm (16") **UDS845011860** Zinc Plated 457mm (18") **UDS845012060** Zinc Plated 508mm (20") **UDS845012260** Zinc Plated 559mm (22")

- LOW TRADE PRICES
- FREE DELIVERY £150 (NET)
- NO MINIMUM ORDER CHARGE
- NO SPLIT PACKAGE CHARGE
- EXCELLENT CUSTOMER SERVICE

WWW.UNICO.UK.COM

Ballbearing Over Extension Side Fix Slides



These slides open 25mm (1") further than the Full Extension Slides. Weight 45kg. Sold in Pairs. 12.5mm building in width.

UDS840511060 Zinc Plated 254mm (10")
UDS840511260 Zinc Plated 305mm (12")
UDS840511460 Zinc Plated 356mm (14")
UDS840511860 Zinc Plated 406mm (16")
UDS840511860 Zinc Plated 457mm (18")
UDS840512060 Zinc Plated 509mm (20")
UDS840512460 Zinc Plated 610mm (24")
UDS840512460 Zinc Plated 660mm (24")
UDS840512460 Zinc Plated 660mm (26")

UDS840512860 Zinc Plated 711mm (28")

Push To Open Full Extension Side Fix Slides



Push to open. Weight 40kg. 12.8mm building in width.

 UDS860011260 Zinc Plated
 300mm

 UDS860011460 Zinc Plated
 350mm

 UDS860011660 Zinc Plated
 400mm

 UDS860011860 Zinc Plated
 450mm

 UDS860012260 Zinc Plated
 550mm

 UDS860012460 Zinc Plated
 600mm

UDS860011060 7inc Plated 250mm

Plastic Drawer Slide

2 x 5mm Dowels and 4 Screw holes for secure fastening

SDS181832001 320mm Long



DRAWER SLIDES

Roller Drawer Slides Bottom Fix



32mm hole pattern. Weight 25kg. Sold in pairs. 12.5mm building in width.

SDS121230004 White 300mm (12")
SDS121230005 Brown 300mm (14")
SDS121235004 White 350mm (14")
SDS121235005 Brown 350mm (14")
SDS121240004 White 400mm (16")
SDS121240005 Brown 400mm (16")
SDS121245004 White 450mm (18")
SDS121245005 Brown 450mm (20")
SDS121250005 Brown 500mm (20")
SDS121255005 Brown 500mm (22")
SDS121255005 Brown 550mm (22")
SDS121250004 White 550mm (22")
SDS12125005 Brown 550mm (22")
SDS121250005 White 600mm (24")

Ballbearing Single Extension Slides 27mm



Light duty. For 27mm groove and surface mounting. Weight 15kg. Sold as pairs.

SDS272721460 Zinc Plated 214mm **SDS272702560** Zinc Plated 246mm **SDS272702860** Zinc Plated 278mm **SDS272703160** Zinc Plated 310mm **SDS272703460** Zinc Plated 342mm



SCAN WITH YOUR PHONE TO VISIT OUR WEBSITE

Soft Close Full Extension Bottom Fix Slides



Add 13mm to the drawer slide length to calculate the minimum cabinet depth. Weight 10kg. Sold in pairs.

UDS26000003 Black RH Front Connector UDS260000103 Black LH Front Connector UDS260011160 Zinc Plated 280mm UDS260011260 Zinc Plated 300mm UDS260011360 Zinc Plated 320mm UDS260011460 Zinc Plated 350mm UDS260011660 Zinc Plated 380mm UDS260011760 Zinc Plated 400mm UDS260011860 7inc Plated 420mm UDS260011960 Zinc Plated 450mm UD\$260012060 7inc Plated 480mm UDS260012160 Zinc Plated 500mm UDS260012260 7inc Plated 520mm UDS260012360 Zinc Plated 550mm UDS260012460 Zinc Plated 580mm UDS260012560 Zinc Plated 600mm

Ballbearing Single Extension Slides 17mm



Light duty. For 17mm groove and surface mounting. Weight 8kg. Sold as pairs.

SDS121701960 Zinc Plated 187mm **SDS121702260** Zinc Plated 219mm **SDS121702560** Zinc Plated 251 mm **SDS12170360** Zinc Plated 283mm **SDS121703160** Zinc Plated 376mm **SDS121703760** Zinc Plated 430mm **SDS121704360** Zinc Plated 430mm



9

Duo Stay



The Duo Stay can be used as a lid stay or a drop down flap stay. Easily adjustable from 0kg to maximum capacity by using an allen key. Suitable for wooden doors. The instant grip action of the stays braking mechanism does not allow sagging when the lid is let go by the user. Suitable for up to 6kg.

UST366701061 Nickel Plated

Box Lid Stay



Screw mounted to side panel and lid. Non-handed design. Spring holds lid in position. For heavier lids two stays should be used.

UST862000003 Black **UST862000004** White

KD FITTINGS

Fuerte System Housing



A heavy duty steel dowel links the headboard to the side rail, and is locked into position in the side rail by simply turning an internal worm gear in the housing by means of a 6mm allen key.

UKD081400001 Self Colour

Fuerte System Dowels



UKD081400160 Zinc Plated 64mm **UKD081400260** Zinc Plated 84mm

Mini Cam



SKD263101601 Self Colour 16mm Panels **SKD263101801** Self Colour 18mm Panels **SKD263101901** Self Colour 19mm Panels

34mm Eurothread Bolt



SKD263203560 Self Colour

34mm M6 Threaded Bolt



SKD263001001 Self Colour

NEED ADVICE? EMAIL: SALES@UNICO.UK.COM

CALL: 01483 237621

Two Piece Flush Mounts



Overall thickness = 2.5 mm

SKD041800060 Zinc Plated 35x35mm **SKD041800160** Zinc Plated 43.5x38mm

2 Piece Centre Rail Bed Connectors

1 slotted and 1 hooked piece per set

UKD800100019 Yellow Zinc



Taper Connectors

Two piece steel connectors. Overall thickness = 7mm. Overall height = 100mm.

SKD202040001 Self Colour



Maxi Luna Bed Set



Heavy duty bed assembly fittings

UKD062800001 Self Colour Halfmoon washer
UKD062800120 Yellow Zinc Threaded Bolt M8x95mm
UKD062801220 Yellow Zinc Allen Head Bush M8
UKD062800320 Yellow Zinc M8 Hex Nut
UKD062800720 Yellow Zinc M8 Spanner
UKD062800505 Brown Cover Cap

Angle Stretcher Plate



Slots 17x5mm, 25 x 30 x 38mm overall

SKD031500101 Self Colour **SKD031500160** Zinc Plated

8 Piece Bed Connectors

4 slotted and 4 hooked pieces per set **UKD201200001** Self Colour 100mm



Bolts



M6 flat head bolts with 4mm Allen head

UKD001563020 Yellow Zinc Plated A=30mm
UKD001564020 Yellow Zinc Plated A=40mm
UKD001564061 Nickel Plated A=40mm
UKD001565020 Yellow Zinc Plated A=50mm
UKD001565061 Nickel Plated A=50mm
UKD001566020 Yellow Zinc Plated A=60mm
UKD001566061 Nickel Plated A=60mm
UKD001567020 Yellow Zinc Plated A=70mm
UKD001567020 Yellow Zinc Plated A=80mm
UKD001567061 Nickel Plated A=70mm
UKD001560020 Yellow Zinc Plated A=80mm
UKD001510020 Yellow Zinc Plated A=100mm
UKD001512020 Yellow Zinc Plated A=120mm



WARDROBE & SHELF FITTINGS

Oval Tubing 22x15x0.70mm

3m lengths

UWF065502261 Nickel



Oval Tubing 30x15x0.70mm

3m lengths

UWF065503061 Nickel



Oval Tube End Support

Suitable for 22mm and 30mm Oval Tubing

UWF064703020 Brassed 2 Holes **UWF064713061** Nickel 3 Holes



Oval Centre Support

Suitable for 22mm and 30mm Oval Tubing

UWF950355864 Chrome



Shelf Stud

For use in 5mm hole

USF033200020 Brassed **USF033200061** Nickel



Raised Shelf Strip

Length: 1829mm

Fixing Holes: 152.4mm Centres

SSF747200001 Self Colour Aluminium SSF747200020 Brassed Steel SSF747200145 Bronzed Aluminium SSF747200060 Zinc Plated Steel



Shelf Stud With Hole

For use with SSF7472 Raised Shelf Strip

SSF747300020 Brassed **SSF747300040** Bronze **SSF747300060** Zinc Plated



Shelf Stud

For use with SSF7472 Raised Shelf Strip

SSF747400040 Bronze **SSF747400060** Zinc Plated



Rubber Buffer for Glass Shelves

For use with SSF7473 Shelf Studs To fit shelf stud with hole

SSF747700003 Black



Raised Shelf Strip

Length: 2m Depth: 6mm Width: 16mm Hole Centres: 98mm For flush or surface mounting

SSF294100120 Brassed **SSF294100161** Nickel



Plain Shelf Stud

For use with SSF2941 Rasied Shelf Strip

SSF300200160 Zinc Plated **SSF300200220** Brassed



Shelf Stud With Spigot

For use with SSF2941 Rasied Shelf Strip

SSF300201060 Zinc Plated





CALL: 01483 237621

GLASS & WOODEN DOOR FITTINGS

Square Glass Door Hinge



Hinge with catch for inset doors. No boring required. For glass thickness 4-5mm. Max door size 1000 x 400mm. Sold in pairs.

UHI17000064 Chrome **UHI17000065** Matt Chrome

Square Lock For Single Glass Door



No boring required. For glass thickness 4-5mm. Keyed to differ.

UHI170000464 Chrome **UHI170000465** Matt Chrome

Square Lock Striker For Single Glass Door



Edge striker for single door. To be used when the glass door is to be flush with the edge of the cabinet. Knock in dowels 5mm Dia x 9mm long.

UHI170000864 Chrome **UHI170000865** Matt Chrome

Badge Glass Door Hinge



Hinge with catch for inset doors. No boring required. For glass thickness 4-5mm. Max door size 1000 x 400mm. Sold in pairs.

UHI180000064 Chrome **UHI180000065** Matt Chrome

Badge Lock For Single Glass Door



No boring required. For glass thickness 4-5mm. Keyed to differ.

UHI180000464 Chrome
UHI180000465 Matt Chrome

Badge Lock Striker For Single Glass Door



Edge striker for single door. To be used when the glass door is to be flush with the edge of the cabinet. Knock in dowels 5mm Dia x 9mm long.

UHI180000864 Chrome **UHI180000865** Matt Chrome



GLASS & WOODEN DOOR FITTINGS

Sliding Glass Door Lock



Suitable for 4-8mm glass. Ratchet action, no boring. Glass overlay 19-32mm.

UL0015500061 Nickel Differ **UL0015500161** Nickel Keyed Alike


Twin Sliding Door Channel



For glass sliding doors. 2m long. Max glass size 6mm.

SDF007500203 Black Bottom Track **SDF007600203** Black Top Track

Twin Sliding Door Track



Length 2m. Can be used for glass, plywood or hardwood doors. Lower track contains plastic insert. Max weight 11kg. Max glass size 6mm.

SDF003400066 Polished Aluminium Bottom Track **SDF003500066** Polished Aluminium Top Track



Glass Clamp



Suitable for 4-10mm glass. Mount on flat surfaces.

SMI433500161 Nickel Plated

Track For Wood Sliding Door System



25m Coil

SDF061000004 White **SDF061000005** Brown

Screw On Wood Sliding Door Roller



Installed by boring a 30x10mm hole and securing with screws.

SDF061100004 White **SDF061100005** Brown

Screw On Wood Sliding Door 3mm Guide



Installed by boring a 30x10mm hole and securing with screws.

SDF061200304 White **SDF061200305** Brown



TABLE FITTINGS

Table Cleat



Surface mounted

UTF400000021 Brass

Table Flip Bracket



SHI300001820 Brassed

Coffee Table Lift Mechanism



Makes a coffee table into a work desk

UTF500045003 Black Small **UTF500091403** Black Large

Click Catch



For connecting tables and table leaves. Concealed when not in use.

SCA240311060 Zinc Plated

Recess Mounted Folding Leaf Hinge



SHI200001820 Brassed 18mm board **SHI200002219** Yellow Zinc 22mm board



SCAN WITH YOUR PHONE TO VISIT OUR WEBSITE

- LOW TRADE PRICES
- FREE DELIVERY £150 (NET)
- NO MINIMUM ORDER CHARGE
- NO SPLIT PACKAGE CHARGE
- EXCELLENT CUSTOMER SERVICE

WWW.UNICO.UK.COM

710 x 60mm Chrome Leg Set

Contains 4 legs, 4 brackets and 4 of the 30mm adjustable feet. Ideal for supporting worktops, table tops and desks.

SLF600067364 Chrome Plated



Plinth Height Adjuster

Steel outer with plastic adjuster. Height: 30mm Adjustment: 20mm Weight capacity: 100kg

SLF030000060 Zinc Plated



Height Adjuster

M8 Thread.

SLF500802560 Zinc Plated 25mm **SLF500803560** Zinc Plated 35mm **SLF500805060** Zinc Plated 50mm **SLF500806060** Zinc Plated 60mm **SLF500810060** Zinc Plated 100mm



Glides

6mm prongs

SLF023401661 Nickel 16mm **SLF023401961** Nickel 19mm **SLF023402261** Nickel 22mm **SLF023403261** Nickel 32mm



UNICO COMPONENTS

CALL: 01483 237621
EMAIL: sales@unico.uk.com
WEB: www.unico.uk.com

Adjustable Legs

Ideal for kitchen plinths. You will receive half the amount of clips and brackets to legs ordered.

SLF400410003 Black 100mm **SLF400415003** Black 150mm



Plinth Height Adjuster

Steel outer with die-cast adjuster. Height: 30mm Adjustment: 20mm Weight capacity: 150kg

SLF030000160 Zinc Plated



Screw On Plate

For use with threaded height adjusters in carcases and partition walls. M8 Thread. Weight capacity: 500kg

SLF016700260 Zinc Plated



Plastinail

SLF187501601 Natural 16mm **SLF187501901** Natural 19mm



Corner Castor

29mm Wheel **SLF005002701** Self colour



