

Drawer & Door Slides



Product range:



Ball Bearing Runners
Concealed Runners
Extra Heavy-Duty Runners
Heavy Duty Runners
Keyboard Runners
Pan Drawer Runners
Pivot Door Runners
Plastic Drawer Runners
Roller Runners
Soft Close Runners

Ballbearing Slides Over Extension Side Fix

25mm Over-travel
Non-Handed and 32mm hole pattern for easy installation
Lever disconnect for easy drawer removal
Ball retainer latch and ramps for easier drawer insertion
Drawer adjustment without removal
Metal ball bearing retainer with 3 ball bearings per 25mm (1") for smooth and quiet operation
Polymer stop cushions

UDS 8405-110-60 Zinc Plated 254mm (10")
UDS 8405-112-60 Zinc Plated 305mm (12")
UDS 8405-114-60 Zinc Plated 356mm (14")
UDS 8405-116-60 Zinc Plated 406mm (16")
UDS 8405-118-60 Zinc Plated 457mm (18")
UDS 8405-118-03 Black 457mm (18")
UDS 8405-120-60 Zinc Plated 508mm (20")
UDS 8405-122-60 Zinc Plated 559mm (22")
UDS 8405-122-03 Black 559mm (22")
UDS 8405-124-60 Zinc Plated 610mm (24")
UDS 8405-126-60 Zinc Plated 660mm (26")
UDS 8405-128-60 Zinc Plated 711mm (28")

Weight 45Kg
Screw Size – 3.5mm Csk





Ballbearing Slides Full Extension Side Fix

Non-Handed and 32mm hole pattern for easy installation
Lever disconnect for easy drawer removal
Ball retainer latch and ramps for easier drawer insertion
Drawer adjustment without removal
Metal ball bearing retainer with 3 ball bearings per 25mm (1") for smooth and quiet operation
Polymer stop cushions

UDS 8400-110-60 Zinc Plated 254mm (10")
UDS 8400-112-60 Zinc Plated 305mm (12")
UDS 8400-114-60 Zinc Plated 356mm (14")
UDS 8400-116-60 Zinc Plated 406mm (16")
UDS 8400-118-60 Zinc Plated 457mm (18")
UDS 8400-120-60 Zinc Plated 508mm (20")
UDS 8400-122-60 Zinc Plated 559mm (22")
UDS 8400-124-60 Zinc Plated 610mm (24")
UDS 8400-126-60 Zinc Plated 660mm (26")
UDS 8400-128-60 Zinc Plated 711mm (28")



Weight 45Kg
Screw Size – 3.5mm Csk



Ballbearing Slides Over Extension Bottom Fix

UDS 8407-110-60 Zinc Plated 254mm (10")
UDS 8407-112-60 Zinc Plated 305mm (12")
UDS 8407-114-60 Zinc Plated 356mm (14")
UDS 8407-116-60 Zinc Plated 406mm (16")
UDS 8407-118-60 Zinc Plated 457mm (18")
UDS 8407-120-60 Zinc Plated 508mm (20")
UDS 8407-122-60 Zinc Plated 559mm (22")
UDS 8407-124-60 Zinc Plated 610mm (24")
UDS 8407-126-60 Zinc Plated 660mm (26")
UDS 8407-128-60 Zinc Plated 711mm (28")

Weight 45Kg
Other sizes available to special order
Also available in Black to special order
subject to minimum order quantities
Screw Size – 3.5mm Csk





Ballbearing Slide with Lockout Facility Full Extension

25mm Over-travel
Suitable for keyboard trays, writing tables, computer equipment and other under surface applications
The slide will lock into place when fully extended
Non-handed with 32mm hole pattern for easy installation
Lever disconnect for easy drawer removal
Ball retainer latch and ramps for easy drawer insertion
Drawer adjustment without removal
Metal ball bearing retainer with 3 ball bearings per 25mm (1") for smooth and quiet operation
Polymer stop cushions



UDS 8414-112-60 Zinc Plated 305mm (12")
UDS 8414-114-60 Zinc Plated 356mm (14")
UDS 8414-116-60 Zinc Plated 406mm (16")
UDS 8414-118-60 Zinc Plated 457mm (18")
UDS 8414-120-60 Zinc Plated 508mm (20")
UDS 8414-122-60 Zinc Plated 559mm (22")
UDS 8414-124-60 Zinc Plated 610mm (24")

Weight 45Kg
Screw Size – 3.5mm Csk





Ballbearing Slides Self Closing Full Extension

Self-closing action on drawer closing
Non-Handed and 32mm hole pattern for easy installation
Lever disconnect for easy drawer removal
Ball retainer latch and ramps for easier drawer insertion
Drawer adjustment can be made without removing the drawer
Metal ball bearing retainer with 3 ball bearings per 25mm (1") for smooth and quiet operation
Polymer stop cushions
UDS 8417-112-60 Zinc Plated 305mm (12")
UDS 8417-114-60 Zinc Plated 356mm (14")
UDS 8417-116-60 Zinc Plated 406mm (16")
UDS 8417-118-60 Zinc Plated 457mm (18")
UDS 8417-120-60 Zinc Plated 508mm (20")
UDS 8417-122-60 Zinc Plated 559mm (22")
UDS 8417-124-60 Zinc Plated 610mm (24")
UDS 8417-126-60 Zinc Plated 660mm (26")
Weight 45Kg
Also available to special order 254mm (10") and 711mm (28")
Also available in Black and White to special order
Subject to minimum order quantities
Screw Size – 3.5mm Csk




Ballbearing Slides Heavy Duty Over Extension

25mm Over-travel
Suitable for Pedestals and Lateral File Drawers
Non-Handed and 32mm hole pattern for easy installation
Ball retainer latch and ramps for easier drawer insertion
Factory attached drawer release clips with non handed quick disconnect facility
Hold in feature to prevent bounce back
Positive in/out stops
Metal ball bearing retainer with 3 ball bearings per 25mm (1") for smooth and quiet operation
UDS 8505-114-60 Zinc Plated 356mm (14")
UDS 8505-116-03 Black 406mm (16")
UDS 8505-116-60 Zinc Plated 406mm (16")
UDS 8505-118-60 Zinc Plated 457mm (18")
UDS 8505-120-60 Zinc Plated 508mm (20")
UDS 8505-122-60 Zinc Plated 508mm (22")
UDS 8505-124-60 Zinc Plated 508mm (24")
UDS 8505-126-60 Zinc Plated 508mm (26")
UDS 8505-130-60 Zinc Plated 508mm (30")
Weight 68Kg
Also available in Black to special order
Subject to minimum order quantities
Screw Size – 3.5mm Csk




Ballbearing Slides Heavy Duty Full Extension

Non-Handed for easy installation
Ideal for Commercial and Industrial Applications
Non-disconnect version
Holds In when Closed
UDS 8800-112-60 Zinc Plated 305mm (12")
UDS 8800-114-60 Zinc Plated 356mm (14")
UDS 8800-116-60 Zinc Plated 406mm (16")
UDS 8800-118-60 Zinc Plated 457mm (18")
UDS 8800-120-60 Zinc Plated 508mm (20")
UDS 8800-122-60 Zinc Plated 559mm (22")
UDS 8800-124-60 Zinc Plated 610mm (24")
UDS 8800-126-60 Zinc Plated 660mm (26")
UDS 8800-128-60 Zinc Plated 711mm (28")
Weight 90Kg
Screw Size – 5mm Csk on Carcass
5mm Pan Machine Screw on Drawer
(For disconnect version order 8805 models with over travel)





Ballbearing Slides Extra Heavy Duty Full Extension

Heavy-duty ballbearings will carry the heaviest loads without sticking
Non-Metallic open and closed stops assures smooth, silent operation
Non-Handed for easy installation
Ideal for Commercial and Industrial Applications
UDS 8900-112-60 Zinc Plated 305mm (12")
UDS 8900-114-60 Zinc Plated 356mm (14")
UDS 8900-116-60 Zinc Plated 406mm (16")
UDS 8900-118-60 Zinc Plated 457mm (18")
UDS 8900-120-60 Zinc Plated 508mm (20")
UDS 8900-122-60 Zinc Plated 559mm (22")
UDS 8900-124-60 Zinc Plated 610mm (24")
UDS 8900-126-60 Zinc Plated 660mm (26")
UDS 8900-128-60 Zinc Plated 711mm (28")
UDS 8900-130-60 Zinc Plated 762mm (30")
UDS 8900-132-60 Zinc Plated 813mm (32")
UDS 8900-134-60 Zinc Plated 864mm (34")
UDS 8900-136-60 Zinc Plated 915mm (36")
UDS 8900-140-60 Zinc Plated 1016mm (40")
UDS 8900-142-60 Zinc Plated 1067mm (42")
UDS 8900-148-60 Zinc Plated 1219mm (48")
UDS 8900-160-60 Zinc Plated 1524mm (60")
Weight 81Kg-227Kg Depending on application
Modest use 227Kg (500lb)
Normal use 181Kg (400lb)
Vehicular use 136Kg (300lb)
Flat Mounted 81Kg (180lb)
Screw Size – 5mm Csk on Carcass
5mm Pan Machine Screw on Drawer





Ballbearing Slides Stainless Steel Full Extension

Ideal for use in wet and corrosive environments
Metal ball bearing retainer with 3 ball bearings per 25mm (1") for smooth and quiet operation
All Metallic parts are made from 304 grade Stainless Steel
Supplied complete with Stainless steel screws
UDS 6400-116-50 Stainless Steel 406mm (16")
UDS 6400-118-60 Stainless Steel 457mm (18")
UDS 6400-120-60 Stainless Steel 508mm (20")
UDS 6400-122-60 Stainless Steel 559mm (22")
Weight 34Kg
Screw Size – 3.5mm Csk



Ballbearing Slide Single Extension

Side mountable for frame or frameless cabinets
Non-handed design
Screw hole access without extending the slide
Metal ball bearing retainer with 3 ball bearings per 25mm (1") for smooth and quiet operation
Cabinet mounting tabs compensate for wood tolerances
Rear stop assures quiet operation and anti rebound closure
Lever disconnect allow easy drawer removal
UDS 8350-114-60 Zinc Plated 356mm (14")
UDS 8350-116-60 Zinc Plated 406mm (16")
UDS 8350-118-60 Zinc Plated 457mm (18")
UDS 8350-120-60 Zinc Plated 508mm (20")
UDS 8350-122-60 Zinc Plated 559mm (22")
Weight 34Kg
Screw Size – 3.5mm Csk



Pivot Door Slide



Over sized "L" shaped follower strip mounting plate
Hinge plate attached with 3 way adjustable clip on hinge for ease of assembly
Cushioned stop and door hold out feature
Cabinet member with slotted holes for easier installation
Corner rollers to guide door
Metal ball bearing retainer with 3 ball bearings per 25mm (1") for smooth and quiet operation
Door travel 104mm (4") less than slide length
Comes complete with 35mm cup hinges
Suitable for 19mm (3/4") door maximum

Dimensions mm
UDS 8080-112-60 Zinc Plated 305mm (12")
UDS 8080-114-60 Zinc Plated 356mm (14")
UDS 8080-116-60 Zinc Plated 406mm (16")
UDS 8080-118-60 Zinc Plated 457mm (18")
UDS 8080-120-60 Zinc Plated 508mm (20")
UDS 8080-122-60 Zinc Plated 559mm (22")
UDS 8080-124-60 Zinc Plated 610mm (24")



Pivot Door Slides for Thicker Doors

Suitable for 32mm (1 1/4") doors maximum
Hinges have 40mm cup
Dimensions mm
UDS 8186-112-60 Zinc Plated 305mm (12")
UDS 8186-114-60 Zinc Plated 356mm (14")
UDS 8186-116-60 Zinc Plated 406mm (16")
UDS 8186-118-60 Zinc Plated 457mm (18")
UDS 8186-120-60 Zinc Plated 508mm (20")
UDS 8186-122-60 Zinc Plated 559mm (22")
UDS 8186-124-60 Zinc Plated 610mm (24")
Weight 13.5Kg
Screw Size – 3mm Cask



Pocket Door Slide

Heavy Duty
Suitable for door heights 1830mm (72") x 660mm (26")
Rack & Pinion design virtually eliminates door sag
Slide rack indexing system speeds installation time
Metal ball bearing retainer with 3 ball bearings per 25mm (1") for smooth and quiet operation
There are several hinge options to suit a wide variety of door thickness

UDS 8092-118-03 Black 457mm (18")
UDS 8092-120-03 Black 508mm (20")
UDS 8092-122-03 Black 559mm (22")
UDS 8092-124-03 Black 610mm (24")
UDS 8092-126-03 Black 660mm (26")
UDS 8092-128-03 Black 711mm (28")
UDS 8092-130-03 Black 762mm (30")

UDS 8092-036-03 Black Pivot Shaft 915mm (36")
UDS 8092-048-03 Black Pivot Shaft 1220mm (48")
UDS 8092-072-03 Black Pivot Shaft 1830mm (72")

Hinges for Pocket Door Slide
UHI 8080-000-03 Black 19mm door
UHI 8085-000-03 Black 25mm door
UHI 8086-000-03 Black 32mm door

Weight 34Kg
Screw Size – 3.5mm Pan




Pivot Door Slide Side Fix

Up and Under application
Screws to the inside of the cabinet side panel
Recommended door thickness 19mm (3/4")

UDS 8050-112-60 Zinc Plated 305mm (12")
UDS 8050-114-60 Zinc Plated 356mm (14")
UDS 8050-116-60 Zinc Plated 406mm (16")
UDS 8050-118-60 Zinc Plated 457mm (18")
UDS 8050-120-60 Zinc Plated 508mm (20")
UDS 8050-122-60 Zinc Plated 559mm (22")
UDS 8050-124-60 Zinc Plated 610mm (24")

Weight 9Kg
Screw Size – 3.5mm Pan




Pivot Door Slides without Damper

Rugged hinge for mounting on the underside of cabinet top
Holes provided for wood follower strip
Non-handed
Metal ball bearing retainer with 3 ball bearings per 25mm (1") for smooth and quiet operation


UDS 8040-112-60 Zinc Plated 305mm (12")
UDS 8040-114-60 Zinc Plated 356mm (14")
UDS 8040-116-60 Zinc Plated 406mm (16")
UDS 8040-118-60 Zinc Plated 457mm (18")
UDS 8040-120-60 Zinc Plated 508mm (20")
UDS 8040-122-60 Zinc Plated 559mm (22")
UDS 8040-124-60 Zinc Plated 610mm (24")

Weight 9Kg
Screw Size – 3mm Csk



Pivot Door Slide Up and Over with Damper

Knape & Vogt Precision Slides Model 8060
Up & Over application
Damper fitted for soft closing
Hinge mounts to top edge of cabinet; slide mounts to inside of door
Metal ball bearing retainer with 3 ball bearings per 25mm (1") for smooth and quiet operation
Non-handed design simplifies installation
Maximum door size 1220mm (48")W x 406mm (16")H
Recommended for 19mm (3/4") doors and 25mm (1") thick cabinets
Made to order to suit customer requirement
i.e. Door size and damper weight/load
Minimum order quantity 500 pairs
Weight 9Kg



Roller Drawer Slides Side Fix

Self-closing. Building in width 12.5mm (1/2")

Left hand slide with captivated rail. Right hand slide non-captivated to compensate for any installation tolerances

Smooth and easy action

Positive stop and lift out disconnect

Easy adjustment of the runner

Stay close design

32mm hole pattern


Also available to special order with dowels on cabinet member, for knock in installation. Dowels available in 2 sizes 8.5 x 8mm or 10.5 x 10mm. Subject to minimum quantity

Dimensions	mm	A	B	C
SDS 1211-300-04	White 300mm (12")	300	222	522
SDS 1211-300-05	Brown 300mm (12")	300	222	522
SDS 1211-350-04	White 350mm (14")	350	272	622
SDS 1211-350-05	Brown 350mm (14")	350	272	622
SDS 1211-400-04	White 400mm (16")	400	322	722
SDS 1211-400-05	Brown 400mm (16")	400	322	722
SDS 1211-450-04	White 450mm (18")	450	342	792
SDS 1211-450-05	Brown 450mm (18")	450	342	792
SDS 1211-500-04	White 500mm (20")	500	392	892
SDS 1211-500-05	Brown 500mm (20")	500	392	892
SDS 1211-550-04	White 550mm (22")	550	442	992
SDS 1211-550-05	Brown 550mm (22")	550	442	992

Weight 25Kg

Screw Size – 3mm Csk

6.3 x 9mm Euroscrew



Roller Drawer Slides Bottom Fix

Self-closing. Building in width 12.5mm (1/2")

Left hand slide with captivated rail. Right hand side has non-captivated slide to compensate for any installation tolerances

Smooth and easy action

Positive stop and lift out disconnect

Easy adjustment of the runner

Stay close design

32mm hole pattern


Also available to special order with dowels on cabinet member, for knock in installation. Dowels available in 2 sizes 8.5 x 8mm or 10.5 x 10mm. Subject to minimum quantity

Dimensions	mm	A	B	C
SDS 1212-300-04	White 300mm (12")	300	222	522
SDS 1212-300-05	Brown 300mm (12")	300	222	522
SDS 1212-350-04	White 350mm (14")	350	272	622
SDS 1212-350-05	Brown 350mm (14")	350	272	622
SDS 1212-400-04	White 400mm (16")	400	322	722
SDS 1212-400-05	Brown 400mm (16")	400	322	722
SDS 1212-450-04	White 450mm (18")	450	342	792
SDS 1212-450-05	Brown 450mm (18")	450	342	792
SDS 1212-500-04	White 500mm (20")	500	392	892
SDS 1212-500-05	Brown 500mm (20")	500	392	892
SDS 1212-500-07	Beige 500mm (20")	500	392	892
SDS 1212-550-04	White 550mm (22")	550	442	992
SDS 1212-550-05	Brown 550mm (22")	550	442	992
SDS 1212-600-04	White 600mm (24")	600	492	1092

Weight 25Kg

Screw Size – 3mm Csk

6.3 x 9mm Euroscrew



Ballbearing Slide Single Extension Bottom Fix

Medium Duty

Building in width 13-14mm


Hole pattern 32mm

Drawer can be held in the open position

Dimensions	mm	A	B	C
SDS 1214-300-04	White 300mm	300	200	500
SDS 1214-350-04	White 350mm	350	250	600
SDS 1214-400-04	White 400mm	400	300	700
SDS 1214-450-04	White 450mm	450	350	800
SDS 1214-500-05	Brown 500mm	500	400	900
SDS 1214-550-04	White 550mm	550	450	1000
SDS 1214-600-05	Brown 600mm	600	500	1100
SDS 1214-650-04	White 650mm	650	550	1200
SDS 1214-700-05	Brown 700mm	700	600	1300
SDS 1214-750-05	Brown 750mm	750	650	1400
SDS 1214-800-05	Brown 800mm	800	700	1500

Weight 40Kg

Screw Size – 3mm Csk



Ballbearing Slide Single Extension Bottom Fix

Heavy Duty

Building in width 16-17mm


Hole pattern 32mm

Drawer can be held in the open position

Dimensions	mm	A	B	C
SDS 1215-300-04	White 300mm	300	200	500
SDS 1215-350-04	White 350mm	350	233	583
SDS 1215-400-04	White 400mm	400	283	683
SDS 1215-450-04	White 450mm	450	333	783
SDS 1215-500-04	White 500mm	500	358	858
SDS 1215-550-04	White 550mm	550	408	985
SDS 1215-600-05	Brown 600mm	600	458	1058
SDS 1215-650-04	White 650mm	650	508	1158
SDS 1215-700-04	White 700mm	700	558	1258
SDS 1215-750-04	White 750mm	750	608	1358
SDS 1215-800-04	White 800mm	800	658	1458
SDS 1215-850-04	White 850mm	850	708	1558
SDS 1215-900-04	White 900mm	900	758	1658
SDS 1215-950-04	White 950mm	950	808	1758
SDS 1215-100-04	White 1000mm	1000	858	1858
SDS 1215-105-04	White 1050mm	1050	908	1958
SDS 1215-110-04	White 1100mm	1100	958	2058

Weight 80Kg

Screw Size – 4mm Csk




Roller Drawer Slide Full Extension Bottom Fix

Self-closing. Building in width 12.5-13.5mm
Both LH and RH slide captivated
Smooth and easy action
Positive stop and lift out disconnect
Stop and anti roll out prevention
Easy assembly of the centre rail due to tilt prevention
32mm hole pattern

Dimensions mm

		A	B	C
SDS 1216-300-04	White	300mm (12")	300	320 620
SDS 1216-350-04	White	350mm (14")	350	370 720
SDS 1216-400-04	White	400mm (16")	400	420 820
SDS 1216-450-04	White	450mm (18")	450	470 920
SDS 1216-500-04	White	500mm (20")	500	520 1020
SDS 1216-550-04	White	550mm (22")	550	570 1120
SDS 1216-600-04	White	600mm (24")	600	620 1220

Weight 15Kg
Screw Size – 3mm Csk
6.3 x 9mm Euroscrew



Slide Single Extension Pan Drawer

Light Duty
85mm High
Self-closing action
Hold out in open position
Left hand slide with a captivated rail. Right hand free to compensate for any installation tolerances
Smooth and easy action
Positive stop and lift out disconnect

Dimensions mm


		A	B	C
SDS 1209-350-04	White	350mm	350	262 612
SDS 1209-400-04	White	400mm	400	312 712
SDS 1209-450-04	White	450mm	450	352 802
SDS 1209-450-07	Beige	450mm	450	352 802
SDS 1209-500-04	White	500mm	500	402 902
SDS 1209-500-07	Beige	500mm	500	402 902
SDS 1209-550-04	White	550mm	550	452 1002

Light Duty
120mm High
Self-closing action
Hold out in open position
Left hand slide has captivated rail. Right hand slide non-captivated to compensate for any installation tolerances
Smooth and easy action
Positive stop and lift out disconnect

Dimensions mm

		A	B	C
SDS 1210-450-04	White	450mm	450	352 802
SDS 1210-500-04	White	500mm	500	402 902

Weight 30Kg
Screw Size – 3mm Csk
6.3 x 9mm Euroscrew



Ballbearing Slide Single Extension


Light Duty
Silent movement on ballbearings
For 17mm groove and surface mounting
80% Extension by 2 way travel
32mm Hole pattern

To achieve optimum travel locate rear of drawer member at the rear of the drawer and cabinet member as far forward as possible

Dimensions mm

		A	B	C	D
SDS 1217-019-60	Zinc Plated	187mm	297	187	182 225
SDS 1217-025-60	Zinc Plated	251mm	425	251	246 353
SDS 1217-028-60	Zinc Plated	283mm	489	283	278 417
SDS 1217-031-60	Zinc Plated	315mm	553	315	310 481
SDS 1217-043-60	Zinc Plated	430mm	758	430	424 662

Weight 8Kg
Screw Size – 3mm Csk



Ballbearing Slide Single Extensions


Lightweight
Silent movement on ballbearings
For 27mm groove and surface mounting
80% Extension by 2 way travel
32mm Hole pattern

To achieve optimum travel locate rear of drawer member at the rear of the drawer and cabinet member as far forward as possible

Dimensions mm


		A	B	C	D
SDS 2727-214-60	Zinc Plated	214mm	358	214	214 288
SDS 2727-025-60	Zinc Plated	246mm	422	264	246 352
SDS 2727-031-60	Zinc Plated	310mm	550	310	310 480
SDS 2727-034-60	Zinc Plated	342mm	614	342	342 544

Weight 15Kg
Screw Size – 3mm Csk




Plastic Drawer Slide

Made from rigid PVC, providing a hardwearing sliding section for drawers
2 metre
Can be cut to size to suit any drawer length
SDS 0050-000-03 Black




Plastic Drawer Slide

3 x 8mm Dowels and 2 screw holes for secure fastening
350mm long
SDS 1816-350-01 Natural
Screw Size – 3mm Csk




Plastic Drawer Slide

2 x 5mm Dowels and 4 screw holes for secure fastening
320mm long
SDS 1818-320-01 Natural
Screw Size – 3mm Csk




Plastic Drawer Slide

4 x 8mm Dowels and 2 screw holes for secure fastening
320mm long
SDS 1818-321-01 Natural
Screw Size – 3mm Csk




Plastic Drawer Slide

3 x 8mm Dowels and 2 screw holes for secure fastening
250mm Long
SDS 1818-250-01 Natural
Screw Size – 3mm Csk



Plastic Drawer Slide

2 x 8mm Dowels and 1 screw hole for secure fastening
200mm Long
SDS 1818-200-01 Natural
Screw Size – 3mm Csk



Screw in Stop

Stop for Plastic Slides
SDS 1818-000-04 White



Soft Close Concealed Drawer Slide

The cushioning system allows the drawer to close without a sound

Perfect vertical and lateral stability

Maintenance free through self-cleaning ball track

With integrated roll-out prevention, to stop accidental opening

Drawers simply slide-on for easy assembly

Dimensions mm

	A	B
UDS 2600-116-60	Zinc Plated 400mm	413 400
UDS 2600-118-60	Zinc Plated 450mm	463 450
UDS 2600-120-60	Zinc Plated 500mm	513 500

A. Min Cabinet Depth

B. Drawer Box Length

Other sizes available from 280mm to 600mm

Catch for Soft Close Slide

With integrated height adjustment

The adjuster moves a wedge between the slide and drawer bottom to provide stepless height adjustment

The height setting is not changed when the drawer is removed

Weight 30Kg

UDS 2600-000-03 Black RH

UDS 2600-001-03 Black LH



Bottom Fix Slide with Drop Down Front

Silent movement on ballbearings

Hinge action on front brackets


Bottom mounting tabs for easy attachment

Minimum order quantity 200 pairs

Load 30Kg

SDS 1218-400-05 Brown

Screw Size – 3mm Csk



Soft Close Drawer Slides from K & V

New for 2006

Full extension for framed and frameless cabinets


Easy dismount with trigger plate

From 229mm to 559mm

Comes complete with front release levers and brackets


Comes with a limited lifetime warrenty against faulty material and workmanship

Load 34Kg




Drawer Width Calculation	
Drawer Thickness	Deduct from Int. Cab. Width
5/8" [16mm]	3/8" [10mm]
9/16" [14mm]	9/16" [14mm]
1/2" [13mm]	5/8" [16mm]

Frameless Applications



Slide	Cabinet Depth	Min Interior Depth	Slide Length	Drawer Length	A	B	C	Max. Material Thickness	Setback
9400 22	24" [610mm]	22-3/4" [578mm]	22.4" [569mm]	22" [559mm]	10-5/64" [256mm]	8-13/16" [224mm]	23/32" [18mm]	5/8" [16mm]	5/32" [4mm]
9400 21	24" [610mm]	21-3/4" [553mm]	21.4" [544mm]	21" [533mm]	10-5/64" [256mm]	8-13/16" [224mm]	23/32" [18mm]	5/8" [16mm]	5/32" [4mm]
9400 20	21" [533mm]	20-3/4" [527mm]	20.4" [518mm]	20" [508mm]	8-13/16" [224mm]	8-13/16" [224mm]	23/32" [18mm]	5/8" [16mm]	5/32" [4mm]
9400 18	21" [533mm]	18-7/8" [479mm]	18.4" [467mm]	18" [457mm]	7-9/16" [192mm]	8-13/16" [224mm]	23/32" [18mm]	5/8" [16mm]	5/32" [4mm]
9400 16	18" [457mm]	16-3/4" [425mm]	16.4" [417mm]	16" [406mm]	5-1/32" [128mm]	8-13/16" [224mm]	23/32" [18mm]	5/8" [16mm]	5/32" [4mm]
9400 15	18" [457mm]	15-7/8" [403mm]	15.4 [391mm]	15" [381mm]	7-9/16" [192mm]	5-1/32" [128mm]	23/32" [18mm]	5/8" [16mm]	5/32" [4mm]
9400 14	15" [381mm]	14-3/4" [375mm]	14.4" [366mm]	14" [356mm]	7-9/16" [192mm]	5-1/32" [128mm]	23/32" [18mm]	5/8" [16mm]	5/32" [4mm]
9400 12	15" [381mm]	12-7/8" [326mm]	12.4 [315mm]	12" [305mm]	5-1/32" [128mm]	3-25/32" [96mm]	23/32" [18mm]	5/8" [16mm]	5/32" [4mm]
9400 10	12" [305mm]	10-3/4" [273mm]	10.4" [264mm]	10" [254mm]	3-25/32" [96mm]	3-25/32" [96mm]	23/32" [18mm]	5/8" [16mm]	5/32" [4mm]
9400 9	12" [305mm]	9-7/8" [251mm]	9.4" [239mm]	9" [229mm]	3-25/32" [96mm]	3-25/32" [96mm]	23/32" [18mm]	5/8" [16mm]	5/32" [4mm]

Face Frame Applications



Slide	Cabinet Depth	Slide Length	Drawer Length	Max Interior Depth	Min Interior Depth	Max. Material Thickness	Setback
9400 22	25" [635mm]*	22.4" [569mm]	22" [559mm]	24-9/16" [624mm]	22-7/8" [581mm]	5/8" [16mm]	5/32" [4mm]
9400 21	24" [610mm]	21.4" [544mm]	21" [533mm]	23-9/16" [598mm]	21-7/8" [555mm]	5/8" [16mm]	5/32" [4mm]
9400 20	24" [610mm]*	20.4" [518mm]	20" [508mm]	22-9/16" [573mm]	20-7/8" [530mm]	5/8" [16mm]	5/32" [4mm]
9400 18	21" [533mm]	18.4" [467mm]	18" [457mm]	20-9/16" [522mm]	18-7/8" [479mm]	5/8" [16mm]	5/32" [4mm]
9400 16	21" [533mm]*	16.4" [417mm]	16" [406mm]	18-9/16" [472mm]	16-7/8" [429mm]	5/8" [16mm]	5/32" [4mm]
9400 15	18" [457mm]	15.4 [391mm]	15" [381mm]	17-9/16" [446mm]	15-7/8" [403mm]	5/8" [16mm]	5/32" [4mm]
9400 14	18" [457mm]*	14.4" [366mm]	14" [356mm]	16-9/16" [421mm]	14-7/8" [378mm]	5/8" [16mm]	5/32" [4mm]
9400 12	15" [381mm]	12.4 [315mm]	12" [305mm]	14-9/16" [369mm]	12-7/8" [326mm]	5/8" [16mm]	5/32" [4mm]
9400 10	15" [381mm]*	10.4" [264mm]	10" [254mm]	12-9/16" [319mm]	10-7/8" [276mm]	5/8" [16mm]	5/32" [4mm]
9400 9	12" [305mm]	9.4" [239mm]	9" [229mm]	11-9/16" [294mm]	9-7/8" [251mm]	5/8" [16mm]	5/32" [4mm]